

According to 29 CFR 1910.1200 **20002881 DESMOLDANTE MAX 20002530** 

SECTION 1: IDENTIFICATION

.i. GHS Product identifier: 20002881 DESMOLDANTE MAX 20002530

Other means of identification:

Non-applicable

## 1.2. Recommended use of the chemical and restrictions on use:

Relevant uses: remover. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

## 1.3. Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

GLASST INNOVATION COMPANY Carrera 32 # 13 - 49, Of 504 050021.- Antioquia - Colombia Phone.: 57 4 444 95 77 Mail: ventas@glasst.co Website: http://www.glasst.co

1.4. Emergency phone number: CISTEMA SURA Colombia al 018000 51 14 14, fuera de Colombia (0574) 4444578

SECTION 2: HAZARD(S) IDENTIFICATION

## 2.1. Classification of the substance or mixture:

## 29 CFR 1910.1200:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

#### 2.2. Label elements:

29 CFR 1910.1200:

None.

## 2.3. Hazards not otherwise classified (HNOC):

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances:

Non-applicable

#### 3.2. Mixtures:

Chemical description: Mixture composed of chemical products

#### Components

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.Therefore, in accordance with Appendix D to § 1910.1200, the product contains::

Identification	Chemical name/Classification	Concentration
CAS: 8042-47-5	White mineral oil, <=20.5mm2/s (40°C)	3 - <25 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

## 4.1. Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

## By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of

Emisión: 17/02/2022 Versión: 2 Página 1/8



changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

#### By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2. Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3. Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable.

SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Suitable (and unsuitable) extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

#### 5.2. Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3. Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

#### Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

## For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

## 6.2. Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

## 6.3. Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4. Reference to other sections:

See sections 8 and 13

#### SECTION 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling:

A- General precautions for safe use

Emisión: 17/02/2022 Versión: 2 Página 2/8



Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2. Conditions for safe storage, including any incompatibilities:

A- Technical measures for storage

Minimum Temp:	41°F
Maximum Temp:	104°F
Maximum Time:	24 Months

B- General conditions for storage.

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3. Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

## 8.2. Appropriate engineering controls:

A- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded

C- Specific protection for the hands.

Pictogram	PPE	Remarks
III)	Chemical protective gloves (Material:	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being
	Butyl, Breakthrough	used. Do not use protective creams after the product has
Mandatory hand	time: > 480 min,	come into contact with skin. Use gloves in accordance
protection	Thickness: 0.35 mm)	with manufacturer's use limitations and OSHA standard
		1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

## D- Eye and face protection.

Pictogram PPE Remarks
-----------------------

Emisión: 17/02/2022 Versión: 2 Página 3/8



Panoramic glasses splash/projections. Exaporation rate at 68 °F: protection

against

Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitatio Nonrapplicable and 1910.133 (29CFR).

## Bodily protection.

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration Replace before any evidence of deterioration
	Anti-slip work shoes	Replace before any evidence of deterioration Replace before any evidence of deterioration

## Additional emergency measures.

Emergency measure	Standards	Emergency measure	Standards
Emergency Shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D.

## 40 CFR Part 59 (VOC)

V.O.C.(weight-percent): 0 % weight 0 kg/m³ (0 g/L) V.O.C. at 68 °F:

California Air Resources Board (CARB) - VOC Regulatory:

0 % weight V.O.C.(weight-percent): V.O.C. at 68 °F:  $0 \text{ kg/m}^3 (0 \text{ g/L})$ 

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties:

For complete information see the product datasheet.

## Appearance:

Physical state at 68 °F: Liquid Appearance: Viscous Color: Characteristic Odor: Characteristic Non-applicable \*\* Odour threshold:

Volatility:

180 - 762 °F Boiling point at atmospheric pressure: 2337 Pa Vapour pressure at 68 °F:

Vapour pressure at 122 °F: 12313.52 Pa (12.31 kPa)\* Non-applicable\* Evaporation rate at 68 °F:

Product description:

Density at 68 °F: 1010.2 kg/m<sup>3</sup>

Emisión: 17/02/2022 Versión: 2 Página 4/8



Relative density at 68 °F: 1,01

Dynamic viscosity at 68 °F: Non-applicable\* Kinematic viscosity at 68 °F: Non-applicable \* >20,5 mm<sup>2</sup>/s Kinematic viscosity at 104 °F: Non-applicable \* Concentration: Non-applicable \* Non-applicable \* Vapour density at 68 °F: Partition coefficient n-octanol/water 68 °F: Non-applicable \* Solubility in water at 68 °F: Non-applicable \* Solubility properties: Non-applicable \*

Flammability:

Flash Point: Non Flammable (>199.4 °F)

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 615 °F

Lower flammability limit: Non-applicable \* Upper flammability limit: Non-applicable \*

Particle characteristics:

Median equivalent diameter: Non-applicable

#### 9.2. Información adicional:

Decomposition temperature:

Melting point/freezing point:

#### Other information:

## Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Non-applicable \*

Aerosols-total percentage (by mass) of flammable components: Non-applicable \*

## Other safety characteristics:

Surface tension at 68 °F:

Refraction index:

Non-applicable \*

Non-applicable \*

## SECTION 10: STABILITY AND REACTIVITY

## 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

Non-applicable \*

Non-applicable \*

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature::

	0 0	•		
Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## 10.2. Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong	Not applicable	Not applicable	Not applicable	Avoid alkalis or
acids				strong bases

## 10.3. Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other

Emisión: 17/02/2022 Versión: 2 Página 5/8

<sup>\*</sup> Not relevant due to the nature of the product, not providing information property of its hazards



organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available.

## Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposureIngestión (efecto agudo):

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

    IARC: White mineral oil, <=20.5mm2/s (40°C) (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:
  - Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard
  - Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3

## Other information:

Non-applicable

Emisión: 17/02/2022 Versión: 2 Página 6/8



#### Specific toxicology information on the substances:

Identification	Acute toxicity	Acute toxicity	
White mineral oil, <=20.5mm2/s (40°C)	LD50 oral	>5000 mg/kg	Rat
CAS: 8042-47-5	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Ecotoxicity (aquatic and terrestrial, where available):

Not available

## 12.2 Persistence and degradability:

Not available

#### 12.3 Bioaccumulative potential:

Not available

#### 12.4 Mobility in soil:

Not available

## 12.5 Results of PBT and vPvB assessment:

Non-applicable

## 12.6 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Disposal methods:

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

## Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

#### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport

## SECTION 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations specific for the product in question:

- CALIFORNIALABOR CODE The Hazardous Substances List: Non applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): White mineral oil, <=20.5mm2/s (40°C) (8042-47-5)
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK- Substance List: Non-applicable
- Minnesota Hazardous substances ERTK: Non-applicable
   New Jersey Worker and Community Right-to-Know Act: Non-applicable
- New York RTK Substance list: Non-applicable
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: Non-applicable
- The Toxic Substances Control Act (TSCA): White mineral oil, <=20.5mm2/s (40°C) (8042-47-5)
- Toxic chemical release reporting under EPCRAsection 313 (40 CFR Part 372): Non-applicable

Emisión: 17/02/2022 Versión: 2 Página 7/8



Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

## Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### 29 CFR 1910.1200:

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

## Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

#### Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Date of compilation: 3/16/2020

Revised: 7/10/2023

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

Emisión: 17/02/2022 Versión: 2 Página 8/8